


# XCOPRI<sup>®</sup>

(cenobamate tablets) CV

12.5 • 25 • 50 • 100 • 150 • 200 mg

XCOPRI<sup>®</sup> (cenobamate tablets) CV is a prescription medicine used to treat partial-onset seizures in adults 18 years of age and older.

XCOPRI  
COULD HELP  
SIGNIFICANTLY  
REDUCE YOUR  
SEIZURES.



**Koral** Real XCOPRI patient

Before XCOPRI **daily seizures**  
After XCOPRI **1 seizure / month**

*Individual results may vary*

**Feel confident in your choice – read more inside.**

## **IMPORTANT SAFETY INFORMATION FOR XCOPRI<sup>®</sup> (cenobamate tablets) CV**

### **DO NOT TAKE XCOPRI IF YOU:**

- Are allergic to cenobamate or any of the other ingredients in XCOPRI.
- Have a genetic problem (called Familial Short QT syndrome) that affects the electrical system of the heart.

**Please see additional Important Safety Information on pages 14-15 and full Prescribing Information and Medication Guide in pocket.**

# DO YOU FEAR STARTING A NEW ANTI-SEIZURE MEDICATION?

If you continue to experience seizures,  
XCOPRI may help you.

**Matt**  
Real XCOPRI  
patient

This brochure will help you navigate through any uncertainties of starting a new treatment like XCOPRI.

**We'll answer common questions that many people like you ask, such as:**

✓ Can XCOPRI help me?	4
✓ What side effects could I experience while taking XCOPRI?	6
✓ How well has XCOPRI worked on other people?	8
✓ Can I afford XCOPRI?	10

**Feel confident in your choice to start XCOPRI...  
keep going for more information.**

## IMPORTANT SAFETY INFORMATION (cont'd)

### XCOPRI CAN CAUSE SERIOUS SIDE EFFECTS, INCLUDING:

**Allergic reactions:** XCOPRI can cause serious skin rash or other serious allergic reactions which may affect organs and other parts of your body like the liver or blood cells. You may or may not have a rash with these types of reactions. Call your healthcare provider right away and go to the nearest emergency room if you have any of the following: swelling of your face, eyes, lips, or tongue, trouble swallowing or breathing, a skin rash, hives, fever, swollen glands, or sore throat that does not go away or comes and goes, painful sores in the mouth or around your eyes, yellowing of your skin or eyes, unusual bruising or bleeding, severe fatigue or weakness, severe muscle pain, frequent infections, or infections that do not go away. **Take XCOPRI exactly as your healthcare provider tells you to take it. It is very important to increase your dose of XCOPRI slowly, as instructed by your healthcare provider.**

**Please see additional Important Safety Information on pages 14-15 and full Prescribing Information and Medication Guide in pocket.**

# CAN XCOPRI HELP ME?

In a clinical study, XCOPRI was shown to **reduce the frequency of seizures by up to 55%\***




\*During an 18-week study (6-week titration phase and 12-week maintenance phase) when participants were taking either XCOPRI or placebo (sugar pill), which was added to their anti-seizure medication to treat partial-onset seizures

†Individual results may vary.

But some people experienced even greater reduction...Zero Seizures

As many as **1 out of every 5** people got to **ZERO** seizures with XCOPRI in that same study†



**So...YES XCOPRI could help you.**  
**Ask your doctor about XCOPRI.**



**Learn more about how well XCOPRI can work**  
at [xcopri.com/xcopri-results/](https://xcopri.com/xcopri-results/) or scan QR code

†During the 12-week maintenance phase when participants were taking either XCOPRI or placebo (sugar pill), which was added to their anti-seizure medication to treat partial-onset seizures.

## IMPORTANT SAFETY INFORMATION (cont'd)

**QT shortening: XCOPRI may cause problems with the electrical system of the heart (QT shortening).** Call your healthcare provider if you have symptoms of QT shortening including fast heartbeat (heart palpitations) that last a long time or fainting.

**Suicidal behavior and ideation:** Antiepileptic drugs, including XCOPRI, may cause suicidal thoughts or actions in a very small number of people, about 1 in 500. Call your health care provider right away if you have any of the following symptoms, especially

## IMPORTANT SAFETY INFORMATION (cont'd)

if they are new, worse, or worry you: thoughts about suicide or dying; attempting to commit suicide; new or worse depression, anxiety, or irritability; feeling agitated or restless; panic attacks; trouble sleeping (insomnia); acting aggressive; being angry or violent; acting on dangerous impulses; an extreme increase in activity and talking (mania); or other unusual changes in behavior or mood.

**Please see additional Important Safety Information on pages 14-15 and full Prescribing Information and Medication Guide in pocket.**

# WHAT SIDE EFFECTS COULD I EXPERIENCE WHILE TAKING XCOPRI?

Side effects are possible when taking any medication, XCOPRI is no different. While taking XCOPRI, you may experience some unwanted symptoms.



## Most Common Side Effects



Feeling sleepy  
and tired



Dizziness



Double vision



Headache

## Managing your side effects

Everyone reacts differently to ASMs. Just as your body needs time to adjust when starting a new ASM, you might experience symptoms. Keep track of any side effect you have and share it with your doctor. They can provide medical advice about side effects.

In clinical studies, while mood-related side effects were uncommon in participants taking XCOPRI, it is important to pay attention to any changes, especially sudden changes, in mood, behaviors, thoughts, or feelings, and report any to your healthcare provider.


## XCOPRI can cause serious or life-threatening side effects

Call your doctor or 911 right away if you experience reactions such as a skin rash, hives, fever, swelling of the face, eyes, lips, or tongue. Please refer to the Medication Guide and Important Safety Information for additional information.

## Before starting once-daily XCOPRI

It is important to let your doctor know if you have been diagnosed with a genetic problem that affects your heart (called Familial Short QT syndrome). Do not take XCOPRI if you have Familial Short QT syndrome.

**These are not all the possible side effects of XCOPRI. A full description of side effects can be found in the Medication Guide and Important Safety Information.**



**Learn more about the side effects of XCOPRI**  
at [xcopri.com/taking-xcopri/](https://xcopri.com/taking-xcopri/) or scan QR code

## IMPORTANT SAFETY INFORMATION (cont'd)

**Nervous system problems:** XCOPRI may cause problems that affect your nervous system. Symptoms of nervous system problems include: dizziness, trouble walking or with coordination, feeling sleepy and tired, trouble concentrating, remembering, and thinking clearly, and vision problems. **Do not drive, operate heavy machinery, or do other dangerous activities until you know how XCOPRI affects you.**

**Do not drink alcohol or take other medicines that can make you sleepy or dizzy while taking XCOPRI without first talking to your healthcare provider.**

## IMPORTANT SAFETY INFORMATION (cont'd)


### DISCONTINUATION:

**Do not stop taking XCOPRI without first talking to your healthcare provider.** Stopping XCOPRI suddenly can cause serious problems. Stopping seizure medicine suddenly in a patient who has epilepsy can cause seizures that will not stop (status epilepticus).

**Please see additional Important Safety Information on pages 14-15 and full Prescribing Information and Medication Guide in pocket.**

# HOW WELL HAS XCOPRI WORKED FOR OTHER PEOPLE?

Meet actual patients or people who faced their fears and chose XCOPRI as part of their treatment journey.



Natalie

## Supporting the Community

Before XCOPRI  
**10 seizures / month**

After XCOPRI  
**0 seizures / month**<sup>§</sup>




Matt

## A Winner's Mentality

Before XCOPRI  
**3-6 seizures / month**

After XCOPRI  
**0 seizures / month**<sup>§</sup>



Koral

## A Teacher and Advocate

Before XCOPRI  
**Daily Seizures**

After XCOPRI  
**1 seizure / month**<sup>§</sup>



Mary Kate

## The Role of a Lifetime

Before XCOPRI  
**Daily seizures**

After XCOPRI  
**1 seizure / 6 months**<sup>§</sup>



Chrissy

## A Mother's Joy

Before XCOPRI  
**Multiple seizures / month**

After XCOPRI  
**1 seizure / 6-8 weeks**<sup>§</sup>




The  
Tuholskys

## A Family of Fighters

Before XCOPRI  
**Daily seizures**

After XCOPRI  
**1-2 seizures / week**<sup>§</sup>

<sup>§</sup>As of 8/15/23



See their stories at  
[xcopri.com/epilepsy-patient-videos/](https://xcopri.com/epilepsy-patient-videos/)  
or scan QR code

## IMPORTANT SAFETY INFORMATION (cont'd)

### DRUG INTERACTIONS:

XCOPRI may affect the way other medicines work, and other medicines may affect how XCOPRI works. **Do not start or stop other medicines without talking to your healthcare provider.** Tell healthcare providers about all the medicines you take, including prescription and over-the-counter medicines, vitamins and herbal supplements.

## IMPORTANT SAFETY INFORMATION (cont'd)

### PREGNANCY AND LACTATION:

XCOPRI may cause your birth control medicine to be less effective. **Talk to your health care provider about the best birth control method to use.**

Please see additional Important Safety Information on pages 14-15 and full Prescribing Information and Medication Guide in pocket.

# CAN I AFFORD XCOPRI?

The XCOPRI® (cenobamate tablets) CV Trial Offer was designed to allow people getting started on XCOPRI to see if it's right for them. If eligible, you can **receive your first prescription of XCOPRI (12.5/25 mg) at \$0.\***



After that, most eligible patients with commercial insurance may **pay as little as \$20 per month\*** on their refills.



On average, **9 out of 10 people** in the United States with some type of prescription insurance have access to XCOPRI.

See full terms and conditions here, or at: [xcopri.com/epilepsy-resources/](https://xcopri.com/epilepsy-resources/)


\*Eligibility requirements apply.

## Get Additional Support

Enroll in SK life science navigator for help getting started on XCOPRI.

- ✓ See if XCOPRI® is covered by your insurance plan
- ✓ Find out ways for you to start your XCOPRI treatment journey
- ✓ Get help processing and filling your XCOPRI prescriptions
- ✓ Have appointment and refill reminders sent via text message – at your request

**XCOPRI may be more affordable than you think.**



**See for yourself**  
at [xcopri.com/epilepsy-resources](https://xcopri.com/epilepsy-resources)  
or scan QR code

## IMPORTANT SAFETY INFORMATION (cont'd)

### Talk to your health care provider if you are pregnant or plan to become pregnant.

It is not known if XCOPRI will harm your unborn baby. Tell your healthcare provider right away if you become pregnant while taking XCOPRI. You and your healthcare provider will decide if you should take XCOPRI while you are pregnant. If you become pregnant while taking XCOPRI, talk to your healthcare provider about registering with the North American Antiepileptic Drug (NAAED) Pregnancy Registry. The purpose of this registry is to collect information about the safety of antiepileptic medicine during pregnancy. You can enroll in this registry by calling 1-888-233-2334 or go to [www.aedpregnancyregistry.org](http://www.aedpregnancyregistry.org).

**Talk to your health care provider if you are breastfeeding or plan to breastfeed.** It is not known if XCOPRI passes into breastmilk. Talk to your healthcare provider about the best way to feed your baby while taking XCOPRI.

### COMMON SIDE EFFECTS:

The most common side effects in patients taking XCOPRI include dizziness, sleepiness, headache, double vision, and feeling tired.

## IMPORTANT SAFETY INFORMATION (cont'd)

These are not all the possible side effects of XCOPRI. Tell your healthcare provider if you have any side effect that bothers you or that does not go away. For more information, ask your healthcare provider or pharmacist. **Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088** or at [www.fda.gov/medwatch](http://www.fda.gov/medwatch).

### DRUG ABUSE:

**XCOPRI is a federally controlled substance (CV) because it can be abused or lead to dependence.** Keep XCOPRI in a safe place to prevent misuse and abuse. Selling or giving away XCOPRI may harm others and is against the law.

### INDICATION:

XCOPRI is a prescription medicine used to treat partial-onset seizures in adults 18 years of age and older.

It is not known if XCOPRI is safe and effective in children under 18 years of age.


Please see additional patient information in the Medication Guide. This information does not take the place of talking with your healthcare provider about your condition or your treatment.

**Please see full Prescribing Information and Medication Guide in pocket.**

**XCOPRI**<sup>®</sup>  
(cenobamate tablets) **CV**  
12.5 • 25 • 50 • 100 • 150 • 200 mg

# ASK YOUR DOCTOR ABOUT XCOPRI

If you want a proven effective anti-seizure medication, ask your doctor about XCOPRI.



## Find a doctor

at [my.aesnet.org/FindaDoctor](https://my.aesnet.org/FindaDoctor)  
or scan QR code



**Chrissy**  
Real XCOPRI  
patient

## IMPORTANT SAFETY INFORMATION FOR XCOPRI<sup>®</sup> (cenobamate tablets) CV

### DO NOT TAKE XCOPRI IF YOU:

- Are allergic to cenobamate or any of the other ingredients in XCOPRI.
- Have a genetic problem (called Familial Short QT syndrome) that affects the electrical system of the heart.

### XCOPRI CAN CAUSE SERIOUS SIDE EFFECTS, INCLUDING:

**Allergic reactions: XCOPRI can cause serious skin rash or other serious allergic reactions which may affect organs and other parts of your body like the liver or blood cells.** You may or may not have a rash with these types of reactions. Call your healthcare provider right away and go to the nearest emergency room if you have any of the following: swelling of your face, eyes, lips, or tongue, trouble swallowing or breathing, a skin rash, hives, fever, swollen glands, or sore throat that does not go away or comes and goes, painful sores in the mouth or around your eyes, yellowing of your skin or eyes, unusual bruising or bleeding, severe fatigue or weakness, severe muscle pain, frequent infections, or infections that do not go away. **Take XCOPRI exactly as your healthcare provider tells you to take it. It is very important to increase your dose of XCOPRI slowly, as instructed by your healthcare provider.**

